

Continue



Sign up or login, and you'll have full access to opportunities of forum. Due to the UK's Online Safety Act, we no longer allow access by UK residents. We lack the functionality and resources to comply with the UK's age verification requirements. Makes the wrapped text bold, italic, underlined, or struck-through. Example: This is [B]bold[/B] text.This is [I]italic[/I] text.This is [U]underlined[/U] text.This is [S]struck-through[/S] text. Output: This is bold text.This is italic text.This is underlined text.This is struck-through text. Changes the color, font, or size of the wrapped text. Example: This is [COLOR=red]red[/COLOR] and [COLOR=#0000cc]blue[/COLOR] text.This is [FONT=Courier New]Courier New[/FONT] text.This is [SIZE=1]small[/SIZE] and [SIZE=7]big[/SIZE] text. Output: This is red and blue text.This is Courier New text.This is small and big text. Creates a link using the wrapped text as the target. Links the wrapped text to the specified web page or email address. Example: [URL=]Go to example.com[/URL] [EMAIL=example@example.com]Email me[/EMAIL] Output: Go to example.comEmail me Links to a user's profile. This is generally inserted automatically when mentioning a user. Example: [USER=1]Username[/USER] Output: Display an image, using the wrapped text as the URL. Example: [IMG=]IMG[/IMG] Output: Embeds media from approved sites into your message. It is recommended that you use the media button in the editor tool bar. Approved sites: Apple Music, Dailymotion, Facebook, Flickr, Giphy, Imgur, Instagram, Pinterest, Reddit, SoundCloud, Spotify, TikTok, Tumblr, Twitch, Twitter, Vimeo, YouTube Example: [MEDIA=youtube]kQ0Eo1UccEE[/MEDIA] Output: An embedded YouTube player would appear here. Displays a bulleted or numbered list. Example: [LIST][*]Bullet 1[*]Bullet 2[/LIST][LIST=1][*]Entry 1[*]Entry 2[/LIST] Output: Changes the alignment of the wrapped text. Example: [LEFT]Left-aligned[/LEFT][CENTER]Center-aligned[/CENTER][RIGHT]Right-aligned[/RIGHT] Output: Displays text that has been quoted from another source. You may also attribute the name of the source. Hides text that may contain spoilers so that it must be clicked by the viewer to be seen. Example: [SPOILER]Simple spoiler[/SPOILER][SPOILER=Spolier Title]Spolier with a title[/SPOILER] Output: Allows you to display text inline among normal content which hides text that may contain spoilers and must be clicked by the viewer to be seen. Example: You have to click the following [SPOILER]word[/SPOILER] to see the content. Output: You have to click the following word to see the content. Displays text in one of several programming languages, highlighting the syntax where possible. Example: General code: [CODE]Generalcode[/CODE] Rich code:[CODE=rich][COLOR=red]Rich[/COLOR]code[/CODE] PHP code:[CODE=php]echo \$hello . ' world';[/CODE] JS code:[CODE=javascript]var hello = 'world';[/CODE] Output: General code: Rich code: PHP code: JS code: Allows you to display code inline among normal post content. Syntax will not be highlighted. Example: Inline code sections [ICODE]are a convenient way[/ICODE] of displaying code inline.Rich formatting within inline code sections [ICODE=rich]is [COLOR=red]also[/COLOR] [U]supported[/U] [/ICODE]. Output: Inline code sections are a convenient way of displaying code inline.Rich formatting within inline code sections is also supported. Indents the wrapped text. This can be nested for larger indentings. Example: Regular text[INDENT]Indented text[/INDENT][INDENT=2]More indented[/INDENT] Output: Regular text Special markup to display tables in your content. Example: [TABLE][TR][TH]Header 1[/TH][TH]Header 2[/TH][TR][TD]Content 1[/TD][TD]Content 2[/TD][TR][TABLE] Output: Header 1Header 2Content 1Content 2 Marks text as a structured heading to facilitate machine readability. Example: [HEADING=1]Major heading[/HEADING]This text comes under a major heading, used to separate the primary sections of an article. [HEADING=2]Minor heading[/HEADING]When you need to subdivide the primary sections of an article, use a level 2 minor heading. [HEADING=3]Subheading[/HEADING]If you require additional subdivision, you may drop to level 3. Output: This text comes under a major heading, used to separate the primary sections of an article.Minor headingWhen you need to subdivide the primary sections of an article, use a level 2 minor heading.SubheadingIf you require additional subdivision, you may drop to level 3. Disables BB code translation on the wrapped text. Example: [PLAIN]This is not [B]bold[/B] text.[PLAIN] Output: This is not [B]bold[/B] text. Inserts an attachment at the specified point. If the attachment is an image, a thumbnail or full size version will be inserted. This will generally be inserted by clicking the appropriate button. Example: Thumbnail: [ATTACH]123[/ATTACH] Full size: [ATTACH=full]123[/ATTACH] Output: The contents of the attachments would appear here. This shows a full list of the smilies you can insert when posting a message. The list of BB codes you can use to spice up the look of your messages. This page shows a list of all BB codes that are available. You can earn trophies by carrying out different actions. This page shows a list of the trophies that are available. This page explains how this site uses cookies. You must agree to these terms and rules before using the site. You must accept this policy before using the site.

Crux triple infusion brew coffee maker. Crux coffee maker programming. Crux triple brew coffee maker manual. Crux manual coffee maker. Crux triple brew coffee maker.